

SAFETY DATA SHEET

Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525		Transportation Emergency (CHEMTREC) Technical Information	:	1-800-424-9300 1-651-355-8443
St. Paul, MN 55164	0089	SDS Information	:	1-651-355-8445
Product name	: ECONEX ISO 320, 460	SDS no.	:	0168-045516.HL
Common name	: Industrial hydraulic fluid; Non-Detergent Oil.	Revision date	:	03/01/2023
Chemical name	: Lubricating oil.	Chemical formula	:	Mixture
Chemical family	: Hydrocarbon.			

Relevant identified uses of the substance or mixture and uses advised against

Lubricant.

Section 2. Hazards identification

OSHA/HCS status	:	1200), this SD	S contair	ns valu	able info		safe ha	ard Communication Standard (29 CFR 1910. andling and proper use of the product. This ers of this product.
Classification of the substance or mixture	:	Not classified.						
GHS label elements								
Signal word	:	No signal word	Ι.					
Hazard statements	:	No known sign	ificant ef	fects o	or critica	hazards.		
Precautionary statements								
General	:	Read label bef label at hand.	ore use.	Кеер	out of re	each of children. If me	dical a	dvice is needed, have product container or
Prevention	:	Not applicable.						
Response	:	Not applicable.						
Storage	:	Not applicable.						
Disposal	:	Not applicable.						
Hazards not otherwise classified (HNOC)	:	None known.						
Hazardous Material Information Sy	ste	m (U.S.A.)	Health	:	0	Flammability :	1	Physical hazards: 0
National Fire Protection Association	on (U.S.A.)	Health	:	0	Flammability :	1	Instability: 0

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture		
Chemical name	: Lubricating oil.		
Other means of identification	: Industrial hydraulic fluid; Non-Detergent Oil.		
Ingredient name		%	CAS number
2,6-Di-tert-butylphenol		0.1 - 1	128-39-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid meas	<u>sures</u>
Eye contact :	: If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15
Inhalation	minutes, occasionally lifting the lower and upper lids. Get medical attention. If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has
·····alation	stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as
Skin contact :	possible. If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the
Skin contact	material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If
la secolo se	irritation persists after washing, get medical attention immediately.
Ingestion : Nost important symptoms/effects, acu	: If material has been swallowed, do not induce vomiting. Get medical attention immediately.
Potential acute health effects	
	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact :	: Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact :	: Adverse symptoms may include the following: irritation, redness.
Ingestion :	: No known significant effects or critical hazards.
Indication of immediate medical atter	ntion and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingest or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Sectio	on 11)
	Section 5. Fire-fighting measures
Extinguishing media	
Suitable extinguishing media	: Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or
	water spray (fog) to extinguish fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chem	
lazardous thermal decomposition pro	
Special protective actions for fire-fight	ters : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.
Special protective equipment for fire-figl	
	Section 6. Accidental release measures
Personal precautions, protective equip	oment and emergency procedures
Personal precautions, protective equip For non-emergency personnel :	 pment and emergency procedures Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequa ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protecti equipment.
For non-emergency personnel	 Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequa ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protecti equipment.
For non-emergency personnel	 Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequa ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protecti equipment.
For non-emergency personnel	 Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protecting equipment. Ent and cleaning up Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemic absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely
For non-emergency personnel : <u>Methods and materials for containmer</u> Spill	 Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. ent and cleaning up Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemic absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.
Methods and materials for containmen	 Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. ent and cleaning up Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemic absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

hygiene

ECONEX ISO 320, 460

Conditions for safe storage, including any incompatibilities

: Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters	
Occupational exposure limits	
None.	
Appropriate engineering controls	: Use only with adequate ventilation.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Recommended: Splash goggles and a face shield, where splash hazard exists.
Skin protection	
Hand protection	: 4 - 8 hours (breakthrough time): Nitrile gloves.
Body protection	: Recommended: Long sleeved coveralls.
Other skin protection	: Recommended: Impervious boots.
Respiratory protection	: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate filter.

Section 9. Physical and chemical properties

Appearance		Relative density	: 0.84 to 0.88
Physical state	: Liquid.	Evaporation rate	: <1 (Butyl acetate = 1)
Color	: Amber.	Solubility	: Insoluble in the following materials: cold water and hot water.
Odor	: Mild.	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	: Not available.	octanol/water	
Melting point	: Not available.	Auto-ignition temperature	: >204.444°C (>400°F)
Boiling point	: Not available.	Decomposition temperature	: Not available.
Flash point	: Closed cup: >200°C (>392°F)	SADT	: Not available.
Flammability	: Not available.	Viscosity	: Not available.
Lower and upper	: Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2,6-Di-tert-butylphenol	LD50 Dermal LD50 Oral		>10 g/kg 1320 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2,6-Di-tert-butylphenol	Skin - Moderate irritant	Rat	-	0.5 mL	-

Sensitization

Respiratory : There is no data available.

Mutagenicity

There is no data available.

Carcinogenicity

There is no data available.

Reproductive toxicity

There is no data available.

Teratogenicity

There is no data available.

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

There is no data available.

Information on the likely routes of : Dermal contact. Eye contact. Inhalation. Ingestion. exposure

: There is no data available.

Section 12. Ecological information

<u>Toxicity</u>

There is no data available.

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2,6-Di-tert-butylphenol	4.5	-	high

Mobility in soil

Soil/water partition coefficient (Koc)

Other adverse effects

: There is no data available.

: No known significant effects or critical hazards.

Disposal methods		of this product, sc and waste dispo							of environmenta
	protection	Section 14.	-	-	•		requiremen	15.	
		Section 14.	Transpo		ation				
DOT IDENTIFICATION NUMBER	R Not applicable.	DOT pro	per shippi	ng name	Not ap	oplicable.			
DOT Hazard Class(es) Not ap	oplicable.	PG No	ot applicable) .	DOT	EMER. RESPO	NSE GUID	E NO. N	ot applicable
		Section 15.	Regulato	ry inform	nation				
J.S. Federal regulations	United St Clean Wa) CDR Exempt/F ates inventory (ter Act (CWA) 3 ter Act (CWA) 3	TSCA 8b): 07: Zinc O,0	All compone),O',O'-tetra	ents are	listed or exemp		prodithioa	ate); Toluene
ean Air Act Section 602 Class I ean Air Act Section 602 Class I ean Air Act Section 112(b) Haza	Il Substances	Not listed Not listed ts (HAPs)		t II Chemic	•	cursor Chemic sential Chemic		: Not : Not	
SARA 302/304									
Composition/information on	ingredients								
No products were found.									
SARA 304 RQ	: Not applic	able.							
SARA 311/312									
Hazard classifications	: Not applic	able.							
Composition/information on	ingredients								
Name		%	Fire hazard	Sudden release of pressure	F	Reactive	Immedi (acute) hazard		Delayed (chronic) health hazard
		0.1 - 1	No.	No.		No.	Yes.		No.
2,6-Di-tert-butylphenol									
2,6-Di-tert-butylphenol SARA 313		l lct (does/not) cor lency Planning al							A Section 313 o
		l uct (does/not) cor jency Planning ai		nity Right-To					A Section 313 o
SARA 313		lency Planning a	nd Commur	nity Right-To	-Know /	Act of 1986 and			A Section 313 o
SARA 313 Product name	the Emerg	lency Planning and the SDS and an	nd Commur CAS numl Mixture y copying a	hity Right-To ber	-Know / % 0.03 as	Act of 1986 and	of 40 CFR	372.	
SARA 313 Product name Zinc compounds SARA 313 notifications must n the notice attached to copies c	the Emerg	lency Planning and the SDS and an	nd Commur CAS numl Mixture y copying a	hity Right-To ber	-Know / % 0.03 as	Act of 1986 and	of 40 CFR	372.	
SARA 313 Product name Zinc compounds SARA 313 notifications must n the notice attached to copies c	the Emerg	lency Planning and the SDS and an	nd Commur CAS numl Mixture y copying a	hity Right-To ber	-Know / % 0.03 as	Act of 1986 and	of 40 CFR	372.	
SARA 313 Product name Zinc compounds SARA 313 notifications must n the notice attached to copies o State regulations	the Emerg not be detached from of the SDS subseque : None of th : None of th	the SDS and an ntly redistributed te components an	nd Commur CAS numl Mixture y copying a re listed. re listed.	nity Right-To	-Know / % 0.03 as	Act of 1986 and	of 40 CFR	372.	redistribution of
SARA 313 Product name Zinc compounds SARA 313 notifications must n the notice attached to copies o State regulations Massachusetts New York New Jersey	the Emerg not be detached from of the SDS subseque : None of th : None of th : The follow hydrotreat	the SDS and an ntly redistributed te components an ing components ed heavy paraffir	nd Commur CAS numl Mixture y copying a re listed. are listed. are listed. F nic	nity Right-To	-Know / % 0.03 as	Act of 1986 and	of 40 CFR	372.	redistribution of
SARA 313 Product name Zinc compounds SARA 313 notifications must n the notice attached to copies c State regulations Massachusetts New York New Jersey Pennsylvania	the Emerg not be detached from of the SDS subseque : None of th : None of th : The follow hydrotreat : None of th	the SDS and an ntly redistributed e components an ing components ed heavy paraffir ie components a	nd Commur CAS numl Mixture y copying a re listed. are listed. are listed. are listed. re listed.	nity Right-To per nd redistribu Residual oils	-Know / % 0.03 as ition of t (petrole	Act of 1986 and Zinc he SDS shall ir eum), solvent-d	of 40 CFR	372. ing and r stillates (redistribution of (petroleum),
SARA 313 Product name Zinc compounds SARA 313 notifications must n the notice attached to copies o State regulations Massachusetts New York New Jersey	the Emerg not be detached from of the SDS subseque : None of th : None of th : The follow hydrotreat : None of th : WARNING	the SDS and an ntly redistributed te components an ing components ed heavy paraffir	nd Commur CAS numl Mixture y copying a re listed. re listed. are listed. are listed. re listed. ontains less	nity Right-To per nd redistribu Residual oils	-Know / % 0.03 as ition of t (petrole	Act of 1986 and Zinc he SDS shall ir eum), solvent-d	of 40 CFR	372. ing and r stillates (redistribution of (petroleum),
SARA 313 Product name Zinc compounds SARA 313 notifications must n the notice attached to copies c State regulations Massachusetts New York New Jersey Pennsylvania	the Emerg not be detached from of the SDS subseque : None of th : None of th : The follow hydrotreat : None of th : WARNING	the SDS and an ntly redistributed e components an ing components an ing components ed heavy paraffir ie components an 3: This product c	nd Commur CAS numl Mixture y copying a re listed. are listed. are listed. are listed. ontains less ve harm.	nity Right-To per nd redistribu Residual oils	-Know / % 0.03 as tion of t (petrole	Act of 1986 and Zinc he SDS shall ir eum), solvent-d	ewaxed; Diane State of	372. ing and r stillates (California	redistribution of (petroleum), a to cause birth

Section 16. Other information

Revision date	: 03/01/2023	Supersedes	:	05/13/2015
Revised Section(s)	:	Prepared by	:	KMK Regulatory Services Inc.

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 20 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.



OUR ENERGY COMES THROUGH.

