CHS

SAFETY DATA SHEET

1. Identification

Product identifier Maxtron ATF SS8

Other means of identification None.

Recommended use Vehicle transmission oil.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CHS Inc. - Lubricants Division

Address PO Box 640889

Mail Station 525

St. Paul, MN 55164-0089 United States of America

Website chsinc.com

Emergency telephone 1-800-424-9300 (within USA & Canada)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

Reproductive toxicity (oral) Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child by

ingestion.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing mist/vapors. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. If

skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before

reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	65 - 85
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9	1 - 5

Maxtron ATF SS8 SDS US

962762 Version #: 02 Revision date: 01-March-2023 Issue date: 27-July-2022

Chemical name	CAS number	%
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	1 - 5
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	1 - 5
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	0.1 - 1
Methyl-1H-benzotriazole	29385-43-1	0.1 - 1
Thio alkyl long chain alkyl ester	Proprietary	0.1 - 1

IP346 method DMSO extract for base oil substances: <3.0%.

Composition comments

The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret.

All concentrations are in percent by weight. Components not listed are either non-hazardous or are below reportable limits.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact eczema or other skin disorders: Seek medical attention and take along these instructions.

Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important symptoms/effects, acute and

delayed

May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

Eve contact

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2). Sand. Earth.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, hazardous combustion products are released that may include: Carbon oxides. Sulfur oxides. Hydrogen sulfide.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

Will burn if involved in a fire.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. In case of spills, beware of slippery floors and surfaces. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Maxtron ATF SS8 SDS US

Methods and materials for containment and cleaning up

The product is immiscible with water and will spread on the water surface. Recover and recycle, if practical.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Avoid eating, drinking and smoking when using the product. Persons susceptible for allergic reactions should not handle this product. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate

ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat and sources of ignition. Store in a cool, dry, well-ventilated place. Protect from direct sunlight. Store at temperatures below: 140°F/60°C. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Components	Туре `	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9)	PEL	5 mg/m3	Mist.
Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Values	,		
Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9)	TWA	5 mg/m3	Inhalable fraction.
Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)	TWA	5 mg/m3	Inhalable fraction.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Chem	ical Hazards		
Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	Ceiling	1800 mg/m3	

Maxtron ATF SS8 SDS US

US. NIOSH: Pocket Guide to Chemical Hazards Form Value Components Type **STEL** 10 mg/m3 Mist. Distillates (petroleum), **STEL** 10 mg/m3 Mist. solvent-dewaxed light paraffinic (CAS 64742-56-9) **TWA** 5 mg/m3 Mist. Distillates, petroleum, STEL 10 mg/m3 Mist. hydrotreated light paraffinic (CAS 64742-55-8) **TWA** 5 mg/m3 Mist.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide easy access to water supply or an emergency shower.

Individual protection measures, such as personal protective equipment

Eye/face protection When working with liquids wear splash-proof chemical goggles and face shield unless full

facepiece respiratory protection is worn.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Recommended gloves include rubber, neoprene,

nitrile or viton. The most suitable glove must be chosen in consultation with the gloves supplier,

who can inform about the breakthrough time of the glove material.

Skin protection

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor cartridge and full facepiece. Follow OSHA respirator regulations (29CFR 1910.134) and use NIOSH/MSHA approved respirators. Check with respiratory protective equipment suppliers.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Viscous liquid.

Color Amber.

Odor Mild petroleum like or odorless.

Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.

Initial boiling point and boiling

range

671 °F (355 °C) (main component)

Flash point 401 °F (205 °C)
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure < 0.1 mmHg (68 °F (20 °C))

Maxtron ATF SS8 SDS US

Vapor density Not available.

Relative density 0.846 (Water=1)

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient (n-octanol/water)

Not applicable for mixtures

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 34 - 35 cSt (104 °F (40 °C))

6.5 - 7.5 cSt (212 °F (100 °C))

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

Percent volatile 14.2 % (482 °F (250 °C))

Pour point -65.2 °F (-54 °C)

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Sulfur oxides. Hydrogen sulfide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation of mist or vapor may cause respiratory tract irritation.

Skin contact May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Suspected of damaging fertility or the unborn child by ingestion.

Symptoms related to the physical, chemical and

May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic

effects.

toxicological characteristics

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components Species Test Results

Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9)

<u>Acute</u>

Dermal

LD50 Rabbit > 2000 mg/kg

Inhalation

Aerosol

LC50 Rat 2.18 mg/l, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)

<u>Acute</u>

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Maxtron ATF SS8 SDS US

962762 Version #: 02 Revision date: 01-March-2023 Issue date: 27-July-2022

Species Test Results Components

Inhalation

Air and aerosol

LC50 Rat > 5.2 mg/l, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Distillates (petroleum), solvent-dewaxed light paraffinic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-56-9)

Distillates, petroleum, hydrotreated light paraffinic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-55-8)

Lubricating oils (petroleum), C15-30, hydrotreated neutral 3 Not classifiable as to carcinogenicity to humans.

oil-based (CAS 72623-86-0)

Lubricating oils (petroleum), C20-50, hydrotreated neutral 3 Not classifiable as to carcinogenicity to humans.

oil-based (CAS 72623-87-1)

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soil The product is insoluble in water. Not expected to be mobile in soil.

Other adverse effects Oil spills are generally hazardous to the environment.

13. Disposal considerations

Disposal instructions Dispose of this material and its container to hazardous or special waste collection point. Incinerate

the material under controlled conditions in an approved incinerator. Dispose of contents/container

in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Maxtron ATF SS8 SDS US

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated "active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard Respiratory or skin sensitization

categories Reproductive toxicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9)

Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)

US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9)

Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)

US. Rhode Island RTK

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9)

Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)

Maxtron ATF SS8 SDS US

California Proposition 65



WARNING: This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Listed: February 27, 1987 Benzene (CAS 71-43-2)

California Proposition 65 - CRT: Listed date/Developmental toxin

Benzene (CAS 71-43-2) Listed: December 26, 1997 Sulfur dioxide (CAS 7446-09-5) Listed: July 29, 2011

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Benzene (CAS 71-43-2) Listed: December 26, 1997

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic (CAS 64742-56-9)

Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)

Inventory name

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1)

International Inventories

Country(s) or region

Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Taiwan Chemical Substance Inventory (TCSI) Taiwan Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

16. Other information, including date of preparation or last revision

27-July-2022 Issue date

Revision date Version # 01

NFPA ratings



Disclaimer

CHS Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Maxtron ATF SS8

962762 Version #: 02 Revision date: 01-March-2023 Issue date: 27-July-2022

On inventory (yes/no)*

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing