

## SAFETY DATA SHEET

# Cenex® FG Syn Gear Oil ISO 460

**Issuing Date** 07-19-2023

SDS:

PGL0269AB

Revision Date 07-19-2023

**Revision Number** 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

460

Product Identifier Product Name	Cenex® FG Syn Gear Oil ISO
Other means of identification Product Code(s)	PGL0269AB
Synonyms	No information available

#### Recommended use of the chemical and restrictions on use

Identified uses Lubricant

Uses advised against Consumer use

#### Details of the supplier of the safety data sheet

#### Manufacturer

CHS Inc. P.O. Box 64089 Mail Station 525 St. Paul, MN 55164-0089 SDS Information 1-651-355-8445 Emergency Telephone Number

CHEMTREC: 1-800-424-9300 (NORTH AMERICA) +1-703-527-3887 (INTERNATIONAL)

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

**Emergency Overview** 

#### Label Elements

Signal Word

None

Appearance Clear, amber colored

Response None.

# Cenex® FG Syn Gear Oil ISO 460

**Issuing Date** 07-19-2023

Revision Date 07-19-2023

**Revision Number** 2

Eyes None. Skin None. Inhalation None. Ingestion None. Fire None. Spill None. Storage None. Disposal None.

Hazards not otherwise classified (HNOC) None

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene,	68037-01-4	80 - 90
oligomers, hydrogenated		

The producer of "PGL0269AB" declares that it contains less than 3% DMSO extractable material by IP-346

## 4. FIRST AID MEASURES

First Aid Measures

Indication of any immediate medical attention and special treatment needed		
<u>Most important symptoms a</u> Symptoms	nd effects, both acute and delayed None known.	
Ingestion	Do NOT induce vomiting. Drink plenty of water.	
Inhalation	Consult a physician. If not breathing, give artificial respiration.	
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a physician if necessary.	
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.	

Flash Point

240 °C - 464 °F

# Cenex® FG Syn Gear Oil ISO 460

Issuing Date 07-19-2023	Revision Date 07-19-2023	<b>Revision Number</b> 2
Suitable Extinguishing Media	Water spray, Carbon dioxide (CO2), Foam, Dry chemical	
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.	
Specific Hazards Arising from the Chemical	Thermal decomposition can lead to release of irritating gases and va	apors.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t Not impact sensitive. May be ignited by friction, heat, sparks or flames.	
Protective Equipment and Precautions for Firefighters	Wear self-contained breathing apparatus and protective suit.	

#### <u>NFPA</u>

SDS:

PGL0269AB

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Do not touch or walk through spilled material. Remove all sources of ignition.	
Environmental Precautions		
Environmental Precautions	Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.	
Methods for Cleaning up	Use personal protective equipment. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.	

#### 7. HANDLING AND STORAGE

Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. When using, do not eat, drink or smoke. For personal protection see section 8.	
Conditions for safe storage, including any incompatibilities		
Technical measures/Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.	
Incompatible products	Strong oxidizing agents. Strong acids. Strong bases.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

#### Control parameters

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

# Cenex® FG Syn Gear Oil ISO 460

Issuing Date 07-19-2023

Revision Date 07-19-2023

**Revision Number** 2

Appropriate engineering controls		
Engineering Measures	Showers Eyewash stations Ventilation systems.	
Individual protection measures, such as personal protective equipment		
Eye/Face Protection	Eye protection not needed during typical product use conditions. Wear eye protection as appropriate when handling the bulk formulation.	
Skin and Body Protection	Long sleeved clothing. Protective gloves.	
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear, amber colored
Odor	Hydrocarbon-like
Odor threshold	No information available
Property	<u>Values</u>
Melting Point / Freezing Point	No data available
Boiling Point/Range	no data available
Flash Point	$240 \ ^{\circ}C \ / \ 464 \ ^{\circ}F$
Upper flammability limit:	No data available
Lower Flammability Limit	No data available
Vapor pressure	No data available
Vapor Density	< 1 (Air = 1)
Specific Gravity	0.858
Water solubility	negligible
Partition Coefficient: n-octanol/water	no data available
Autoignition Temperature	No data available
Hyphen	-
Viscosity, kinematic	$460 \ cSt @ 40^{\circ}C$

## **10. STABILITY AND REACTIVITY**

reactivity	No information available
Chemical stability	Stable under recommended storage conditions
Possibility of Hazardous Reactions	None under normal processing
Conditions to Avoid	Heat, flames and sparks Contact with other chemicals
Incompatible Materials	Strong oxidizing agents. Strong acids. Strong bases.

# **Cenex® FG Syn Gear Oil ISO 460**

Issuing Date 07-19-2023

Revision Date 07-19-2023

Hazardous Decomposition Products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke)

#### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information
Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	May cause irritation.
Ingestion	There is no data available for this product.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.	
Delayed and immediate effects as well as chronic effects from short and long-term exposure		
The producer of "PGL0269AB" declares that it contains less than 3% DMSO extractable material by IP-346		
Sensitization	No information available.	
Mutagenic Effects	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
Target organ effects	Respiratory system, Eyes, Skin.	

Numerical measures of toxicity - Product Information

Ecotoxicity None known   Persistence and Degradability No information available.   Bioaccumulation No information available.	12. ECOLOGICAL INFORMATION		
Bioaccumulation No information available.	<u>Ecotoxicity</u>	None known	
	Persistence and Degradability	No information available.	
	<b>Bioaccumulation</b>	No information available.	
Mobility I he product is insoluble and floats on water.	Mobility	The product is insoluble and floats on water.	

## 13. DISPOSAL CONSIDERATIONS

SDS: PGL0269AB Cenex® FG Syn Gear Oil ISO 460			
Issuing Date 07-19-2023	Revision Date 07-19-2023 Revision N	lumber 2	
Waste treatment methods			
Waste Disposal Methods	Dispose of in accordance with local regulations		
Contaminated Packaging	Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal		

#### **14. TRANSPORT INFORMATION**

DOT

Not regulated

nternational Invento	ies	
SCA	Complies	
SL/NDSL	Not determined	
IDSL	Complies	
INECS	Not determined	
LINCS	Not determined	
NCS	Not determined	
CSC	Not determined	
ECL	Not determined	
ICCS	Not determined	
ICS	Not determined	

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### U.S. Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### EPCRA: Emergency Planning and Community Right-to-Know Act

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# Cenex® FG Syn Gear Oil ISO 460

**Issuing Date** 07-19-2023

Revision Date 07-19-2023

**Revision Number** 2

#### **CERCLA**

 $\vdash$ 

This material does not contain any components with a CERCLA RQ.

#### U.S. State Right-to-Know Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Prop. 65	
Ethyl acrylate - 140-88-5	Carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
White Mineral Oil 8042-47-5		X	Х
Naphthalene 91-20-3	Х	X	Х
2-Ethylhexyl acrylate 103-11-7	Х	X	Х
Ethyl acrylate 140-88-5	Х	X	Х

#### NFPA

## 16. OTHER INFORMATION

Issuing Date	07-19-2023
Revision Date	07-19-2023
Reason for revision	Initial Release.
Disclaimer	

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**