

SAFETY DATA SHEET

SDS: PGR0261AB

Cenex® Food & Machinery #0

Issuing Date 07-19-2023 Revision Date 07-19-2023 Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Cenex® Food & Machinery #0

Other means of identification

Product Code(s) PGR0261AB

Synonyms No information available

Recommended use of the chemical and restrictions on use

Identified uses Lubricant

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Manufacturer

CHS Inc. P.O. Box 64089 Mail Station 525 St. Paul, MN 55164-0089 SDS Information 1-651-355-8445 Emergency Telephone Number

CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

+1-703-527-3887 (INTERNATIONAL)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

| Emergency Overview | | | |
|--------------------|------|--|--|
| Signal Word | None | | |
| | | | |
| | | | |

Appearance white Physical state Paste / Gel

Response

None.

Cenex® Food & Machinery #0

Issuing Date 07-19-2023 Revision Date 07-19-2023 Revision Number 2

Eyes None. Skin None. Inhalation None. Ingestion None.

Fire None.

Spill None.

Storage None. **Disposal** None.

Hazards not otherwise classified (HNOC)

None

· Harmful to aquatic life with long lasting effects

· Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No | Weight-% |
|--|------------|----------|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | 80 - 90 |
| Disodium pyrophosphate | 7758-16-9 | 1 - 5 |
| Zinc oxide | 1314-13-2 | 1 - 5 |
| Zinc stearate | 557-05-1 | 1 - 5 |
| Butylated Hydroxy Toluene | 128-37-0 | 0.1 - 1 |

The producer of "PGR0261AB" declares that it contains less than 3% DMSO extractable material by IP-346

4. FIRST AID MEASURES

First Aid Measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Consult a physician if necessary.

Inhalation Consult a physician. If not breathing, give artificial respiration.

Ingestion Do NOT induce vomiting. Drink plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Cenex® Food & Machinery #0

Issuing Date 07-19-2023 Revision Date 07-19-2023 Revision Number 2

5. FIRE-FIGHTING MEASURES

Flash Point 215 °C - 419 °F

<u>Suitable Extinguishing Media</u> Water spray, Carbon dioxide (CO2), Foam, Dry chemical

<u>Unsuitable Extinguishing Media</u> Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Ther

Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Explosion Data

Sensitivity to Mechanical Impact Not impact sensitive.

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus and protective suit.

NFPA

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsDo not touch or walk through spilled material. Remove all sources of ignition.

Environmental Precautions

Environmental PrecautionsBeware of vapors accumulating to form explosive concentrations. Vapors can accumulate in

low areas.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry

sand or earth), then place in a chemical waste container.

Methods for Cleaning up

Use personal protective equipment. Take up mechanically, placing in appropriate containers

for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. When using, do not

eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Cenex® Food & Machinery #0

Issuing Date 07-19-2023 Revision Date 07-19-2023 Revision Number 2

Control parameters

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------------|---------------------------|--------------------------------------|-------------------------------|
| Petroleum distillates, hydrotreated | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | IDLH: 2500 mg/m ³ |
| heavy paraffinic | | (vacated) TWA: 5 mg/m ³ | TWA: 5 mg/m ³ |
| | | | STEL: 10 mg/m ³ |
| Zinc oxide | STEL 10 mg/m ³ | TWA: 5 mg/m ³ | IDLH: 500 mg/m ³ |
| | TWA: 2 mg/m ³ | TWA: 15 mg/m ³ | Ceiling: 15 mg/m ³ |
| | | (vacated) TWA: 5 mg/m ³ | TWA: 5 mg/m ³ |
| | | (vacated) TWA: 10 mg/m ³ | STEL: 10 mg/m ³ |
| | | (vacated) STEL: 10 mg/m ³ | |
| Zinc stearate | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ | TWA: 10 mg/m ³ |
| | TWA: 3 mg/m ³ | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ |
| | _ | (vacated) TWA: 10 mg/m ³ | |
| | | (vacated) TWA: 5 mg/m³ | |
| Butylated Hydroxy Toluene | TWA: 2 mg/m ³ | (vacated) TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Eye protection not needed during typical product use conditions. Wear eye protection as

appropriate when handling the bulk formulation.

Skin and Body Protection Long sleeved clothing. Protective gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Paste / Gel Appearance white

OdorHydrocarbon-likeOdor thresholdNo information available

<u>Property</u> <u>Values</u>

Melting Point / Freezing PointNo data availableBoiling Point/Rangeno data availableFlash Point215 °C / 419 °FUpper flammability limit:No data availableLower Flammability LimitNo data available

Vapor pressure No data available

Cenex® Food & Machinery #0

Issuing Date 07-19-2023 Revision Date 07-19-2023 Revision Number 2

Vapor Density< 1 (Air = 1)</th>Specific Gravity0.95Water solubilitynegligiblePartition Coefficient: n-octanol/waterno data availableAutoignition TemperatureNo data available

Hyphen -

Viscosity, kinematic 100 cSt @ 40°C

10. STABILITY AND REACTIVITY

<u>reactivity</u> No information available

<u>Chemical stability</u> Stable under recommended storage conditions

Possibility of Hazardous Reactions None under normal processing

<u>Conditions to Avoid</u> Heat, flames and sparks Contact with other chemicals

Incompatible Materials Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke)

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information

InhalationMay cause irritation of respiratory tract.Eye ContactContact with eyes may cause irritation.

Skin Contact May cause irritation.

Ingestion There is no data available for this product.

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|------------------------------------|-----------------------|----------------------|
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | > 15 g/kg (Rat) > 24 g/kg (Rat) | > 5000 mg/kg (Rabbit) | = 2062 ppm (Rat) 4 h |
| Disodium pyrophosphate 7758-16-9 | = 1800 mg/kg (Rat) | - | > 0.58 mg/L (Rat)4 h |
| Zinc oxide 1314-13-2 | > 5000 mg/kg (Rat) | - | - |
| Zinc stearate 557-05-1 | > 10 g/kg (Rat) | > 2000 mg/kg (Rabbit) | > 200 mg/L (Rat)1 h |
| Butylated Hydroxy Toluene 128-37-0 | > 2930 mg/kg (Rat) | > 2000 mg/kg (Rat) | - |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SDS:

PGR0261AB

Cenex® Food & Machinery #0

Issuing Date 07-19-2023 Revision Date 07-19-2023 Revision Number 2

The producer of "PGR0261AB" declares that it contains less than 3% DMSO extractable material by IP-346

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

Target organ effects Respiratory system, Eyes, Skin.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 49842 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-------------------------------|---------------------------|-----------------------------|----------------------------|-----------------------|
| Petroleum distillates, | | LC50> 5000 mg/L | | EC50 > 1000 mg/L 48 h |
| hydrotreated heavy paraffinic | | Oncorhynchus mykiss 96 h | | |
| 64742-54-7 | | | | |
| Zinc oxide | | LC50= 1.55 mg/L Danio rerio | | |
| 1314-13-2 | | 96 h | | |
| Butylated Hydroxy Toluene | EC50 = 6 mg/L 72 h EC50 > | | | |
| 128-37-0 | 0.42 mg/L 72 h | | | |

<u>Persistence and Degradability</u> No information available.

<u>Bioaccumulation</u> No information available.

<u>Mobility</u> The product is insoluble and floats on water.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Dispose of in accordance with local regulations

Contaminated Packaging Do not re-use empty containers. Empty containers should be taken to an approved waste

handling site for recycling or disposal

| Chemical name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| Zinc oxide | Toxic |
| 1314-13-2 | |
| Zinc stearate | Toxic |
| 557-05-1 | |

SDS: PGR0261AB

Cenex® Food & Machinery #0

Issuing Date 07-19-2023 Revision Date 07-19-2023 Revision Number 2

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Not determined **NDSL** Not determined **EINECS** Not determined **ELINCS** Not determined **ENCS** Not determined **IECSC** Complies KECL Not determined **PICCS** Not determined AICS Complies

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | SARA 313 - Threshold Values % |
|---------------|-------------------------------|
| Zinc oxide | 1.0 |
| 1314-13-2 | |
| Zinc stearate | 1.0 |
| 557-05-1 | |

EPCRA: Emergency Planning and Community Right-to-Know Act

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Clean Water Act

| Chemical name | CWA - Reportable | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous |
|---------------|------------------|------------------------|---------------------------|-----------------|
| | Quantities | | | Substances |

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Cenex® Food & Machinery #0

Issuing Date 07-19-2023 Revision Date 07-19-2023 Revision Number 2

| Zinc oxide 1314-13-2 | X | |
|---------------------------|---|--|
| Zinc stearate 557-05-1 | X | |

CERCLA

This material does not contain any components with a CERCLA RQ.

U.S. State Right-to-Know Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7 | | Х | Х |
| Zinc oxide 1314-13-2 | Х | X | X |
| Zinc stearate 557-05-1 | X | X | X |
| Butylated Hydroxy Toluene 128-37-0 | X | X | X |
| Methyl alcohol 67-56-1 | Х | X | X |

NFPA

16. OTHER INFORMATION

Issuing Date07-19-2023Revision Date07-19-2023Reason for revisionInitial Release.

<u>Disclaimer</u>

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet