

SAFETY DATA SHEET

Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525 St. Paul, MN 55164	-0089	Transportation Emergency (CHEMTREC) Technical Information SDS Information	:	1-800-424-9300 1-651-355-8443 1-651-355-8445
Product name	: MAXTRON GL SAE 75W90	SDS no.	:	0126-G1A0.HL
Common name	: Synthetic Gear Oil SAE 75W-90	Revision date	:	04/16/2020
Chemical name	: Lubricating oil.	Chemical formula	:	Mixture
Chemical family	: Hydrocarbon.			

Relevant identified uses of the substance or mixture and uses advised against

Not available.

Section 2. Hazards identification

OSHA/HCS status	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.				
Classification of the substance or mixture	Not classified.				
GHS label elements					
Signal word	o signal word.				
Hazard statements	No known significant effects or critical hazards.				
Precautionary statements					
General	ead label before use. Keep out of reach of children. If medical advice is needed, have product cor bel at hand.	ntainer or			
Prevention	ot applicable.				
Response	ot applicable.				
Storage	ot applicable.				
Disposal	ot applicable.				
Hazards not otherwise classified (HNOC)	one known.				
Hazardous Material Information Sy	U.S.A.) Health : 1 Flammability : 1 Physical hazards : 0				
National Fire Protection Association	A.) Health : ¹ Flammability : 1 Instability : 0				
Section 3. Composition/information on ingredients					

Substance/mixture	: Mixture	
Chemical name	: Lubricating oil.	
Other means of identification	: Synthetic Gear Oil SAE 75W-90	
Any concentration shown as a range is to protect confidentiality or is due to batch variation.		

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid	measures
Eye contact	: If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15
	minutes, occasionally lifting the lower and upper lids. Get medical attention.
Inhalation	: If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as
	possible.
Skin contact	: If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get medical attention immediately.
Ingestion	: If material has been swallowed, do not induce vomiting. Get medical attention immediately.
lost important symptoms/effects,	
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact	: Adverse symptoms may include the following: irritation, redness.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate medical	attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingest or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Se	ection 11)
- wing modia	Section 5. Fire-fighting measures
Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	 Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire. None known.
Specific hazards arising from the	
lazardous thermal decomposition	
Special protective actions for fire-	fighters : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.
Special protective equipment for fir	e-fighters : Not applicable.
	Section 6. Accidental release measures
Personal precautions, protective e	equipment and emergency procedures
For non-emergency personnel	 Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequat ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protectiv equipment.
Methods and materials for contain	
Spill	: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemica
- p	absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.
	Section 7. Handling and storage
Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing.
	Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator

hygiene

MAXTRON GL SAE 75W90

Conditions for safe storage, including any incompatibilities

: Handling temperatures should not exceed 175°F (80°C). Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters		
Occupational exposure limits		
None.		
Appropriate engineering controls	: Us	e only with adequate ventilation.
Environmental exposure controls		nissions from ventilation or work process equipment should be checked to ensure they comply with the quirements of environmental protection legislation.
Individual protection measures		
Hygiene measures	the	ash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using a lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close the workstation location.
Eye/face protection	: Re	commended: Splash goggles and a face shield, where splash hazard exists.
Skin protection		
Hand protection	: 4 -	8 hours (breakthrough time): Nitrile gloves.
Body protection	: Re	commended: Long sleeved coveralls.
Other skin protection	: Re	commended: Impervious boots.
Respiratory protection	: If v filte	ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate er.

Section 9. Physical and chemical properties

Appearance		Relative density	: 0.88 to 0.92
Physical state	: Liquid.	Evaporation rate	: <1 (Ether. = 1)
Color	: Amber.	Solubility	: Insoluble in the following materials: cold water and hot water.
Odor	: Mild.	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	: Not available.	octanol/water	
Melting point	: Not available.	Auto-ignition temperature	: >398.88°C (>750°F)
Boiling point	: > 200°C	Decomposition temperature	: Not available.
Flash point	: Closed cup: >215°C (>419°F)	SADT	: Not available.
Flammability	: Not available.	Viscosity	: Not available.
Lower and upper	: Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous react		Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Information on toxicological effects	
Acute toxicity	
There is no data available.	
Irritation/Corrosion	
Skin	: There is no data available.
Eyes	: There is no data available.
Respiratory	: There is no data available.
<u>Sensitization</u>	
Skin	: There is no data available.
Respiratory	: There is no data available.
<u>Mutagenicity</u>	
There is no data available.	
Carcinogenicity	
There is no data available.	
Reproductive toxicity	
There is no data available.	
<u>Teratogenicity</u>	
There is no data available.	
Specific target organ toxicity (singl	<u>e exposure)</u>
There is no data available.	
Specific target organ toxicity (repea	ated exposure)
There is no data available.	
Aspiration hazard	
There is no data available.	
Information on the likely routes of exposure	: Dermal contact. Eye contact. Inhalation. Ingestion.
	Section 12. Ecological information
<u>Toxicity</u>	
There is no data available.	
Persistence and degradability	
There is no data available.	
Bioaccumulative potential	
There is no data available.	
Mobility in soil	
Soil/water partition coefficient (Koc)	: There is no data available.

Section 13. Disposal considerations

: No known significant effects or critical hazards.

Disposal methods

ł

Other adverse effects

: Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Section 14. Transport information				
DOT IDENTIFICATION NUMBER Not applicab	le. DOT	proper shipping name	Not applicable.	
DOT Hazard Class(es) Not applicable.	PG	Not applicable.	DOT EMER. RESPONSE GUIDE NO. Not applicable	
	Section 1	15. Regulatory inform	nation	
U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted.				
Clean Air Act Section 602 Class I Substances : Not listed DEA List I Chemicals (Precursor Chemicals) : Not listed Clean Air Act Section 602 Class II Substances : Not listed DEA List II Chemicals (Essential Chemicals) : Not listed Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Not listed : Not listed				
SARA 302/304 Composition/information on ingredients				
No products were found.				
SARA 304 RQ : Not a	pplicable.			
<u>SARA 311/312</u>				
Hazard classifications : Not applicable.				
Composition/information on ingredients				
No products were found.				
			ubject to the reporting requirements of SARA Section 313 of o-Know Act of 1986 and of 40 CFR 372.	

 Product name
 CAS number
 %

 Not applicable.

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts	: N	one of the components are listed.
New York	: N	one of the components are listed.
New Jersey	: N	one of the components are listed.
Pennsylvania	: N	one of the components are listed.
California Prop. 65	: N	o products were found.

: 05/07/2015

: KMK Regulatory Services Inc.

Supersedes

Prepared by

Section 16. Other information

Revision date Revised Section(s)

: 04/16/2020 : 1, 2, 3, 9, 16.

Notice to reader

NODE to Deader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.



OUR ENERGY COMES THROUGH.

A BRAND OF

