



SAFETY DATA SHEET

Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525 St. Paul, MN 55164-0089	Transportation Emergency (CHEMTREC): Technical Information SDS Information	1-800-424-9300 CCN23163 : 1-651-355-8443 : 1-651-355-8445
Product name : TURBINE OIL XL 150, 220, 320, 460	SDS no.	: 0191-061520.HL
Common name : TURBINE OIL XL 150, 220, 320, 460	Revision date	: 03/01/2023
Chemical name : Lubricating oil.	Chemical formula	: Mixture
Chemical family : Hydrocarbon.		
Relevant identified uses of the substance or mixture and uses advised against		
Lubricating oil.		

Section 2. Hazards identification

OSHA/HCS status	: This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified (HNOC)	: None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Chemical name

: Lubricating oil.

Other means of identification

: TURBINE OIL XL 150,220, 320,460

Chemical Name	CAS No	Weight %
Distillates, petroleum, hydrotreated, heavy, paraffinic	64742-54-7	60 - 100
Proprietary Additives	PROPRIETARY	0.5 – 1.5

The specific identity and exact concentration of any included proprietary additive(s) is withheld as a trade secret.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15 minutes, occasionally lifting the lower and upper lids. Get medical attention.
- Inhalation** : If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as possible.
- Skin contact** : If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get medical attention immediately.
- Ingestion** : If material has been swallowed, do not induce vomiting. Get medical attention immediately.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : This product is not classified as an eye irritant.
- Inhalation** : This product is not classified as acutely toxic by inhalation.
- Skin contact** : This product is not classified as acutely toxic by the dermal route.
- Ingestion** : This product is not classified as acutely toxic by the oral route.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness.
- Inhalation** : Adverse symptoms may include the following: respiratory tract irritation, coughing.
- Skin contact** : Adverse symptoms may include the following: irritation, redness.
- Ingestion** : No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.
- Unsuitable extinguishing media** : None known.
- Specific hazards arising from the chemical** : Toxic fumes gases or vapors may evolve on burning.
- Hazardous thermal decomposition products** : No specific data.
- Special protective actions for fire-fighters** : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.
- Special protective equipment for fire-fighters** : Not applicable.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Methods and materials for containment and cleaning up

- Spill** : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

Conditions for safe storage, including any incompatibilities

: Do not store above the following temperature: 80°C (175°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Do not store at temperatures exceeding 113°F (45°C). Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection**Control parameters****Exposure guidelines**

Exposure limits for purified mineral oil as mist: US-ACGIH reports: TWA-5 mg/m³ and STEL-10 mg/m³; US-OSHA PEL 5 mg/m³.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Distillates, petroleum, hydrotreated heavy paraffinic 64742-54-7	5 mg/m ³ (As oil mist) STEL: 10 mg/m ³ as Oil Mist		

Appropriate engineering controls

: Use only with adequate ventilation.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measures**Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Recommended: Splash goggles and a face shield, where splash hazard exists.

Skin protection**Hand protection**

: 4 - 8 hours (breakthrough time): Nitrile gloves.

Body protection

: Recommended: Long sleeved coveralls.

Other skin protection

: Recommended: Impervious boots.

Respiratory protection

: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate filter.

Section 9. Physical and chemical properties**Appearance**

Physical state : Liquid.
Color : Amber.

Odor : Mild.

Odor threshold : Not available.

pH : Not available.

Melting point : Not available.

Boiling point : Not available.

Flash point : Closed cup: >205°C (>401°F)

Flammability : Not available.

Lower and upper explosive (flammable) limits : Not available.

Relative density : 0.89 to 0.91

Evaporation rate : <1 (Butyl acetate = 1)

Solubility : Insoluble in the following materials: cold water and hot water.

Solubility in water : Insoluble

Partition coefficient: n-octanol/water : Not available.

Auto-ignition temperature : >260°C (>500°F)

Decomposition temperature : Not available.

SADT : Not available.

Viscosity : Not available.

Vapor pressure : <0.13 kPa (<1 mm Hg) (68°F)

Vapor density : Not available.

Section 10. Stability and reactivity**Reactivity**

: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: No specific data.

Incompatible materials

: Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
There is no data available	-	-	-	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
There is no data available	-	-	-	-	-

Sensitization

Skin : There is no data available.

Respiratory : There is no data available.

Mutagenicity

There is no data available.

Carcinogenicity

There is no data available.

Reproductive toxicity

There is no data available.

Teratogenicity

There is no data available.

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

There is no data available.

Information on the likely routes of exposure : Dermal contact. Eye contact. Inhalation. Ingestion.

Section 12. Ecological information

Toxicity

There is no data available.

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
There is no data available	-	-	-

Mobility in soil

Soil/water partition coefficient (K_{oc}) : There is no data available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Section 14. Transport information

DOT IDENTIFICATIONNUMBER Not applicable. **DOT proper shipping name** Not applicable.
DOT HazardClass(es) Not applicable. **PG** Not applicable. **DOT EMER. RESPONSE GUIDE NO.** Not applicable

Section 15. Regulatory information

U.S. Federal regulations : **TSCA 4(a) final test rules:** Not applicable
TSCA 8(a) PAIR: Not applicable
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
United States inventory (TSCA 8b): All components are listed or exempted.
Clean Water Act (CWA) 307: Not applicable
Clean Water Act (CWA) 311: Not applicable

Clean Air Act Section 602 Class I Substances : Not listed **DEA List I Chemicals (Precursor Chemicals)** : Not listed
Clean Air Act Section 602 Class II Substances : Not listed **DEA List II Chemicals (Essential Chemicals)** : Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Not listed

SARA 302/304

Composition/information on ingredients

Name	Concentration in product, % or parts per million	CAS Number	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(kilograms)	(lbs)	(kilograms)
Vinyl acrylate	< 0.5 ppm	108-05-4	1000	454	-	-
1-octene	< 0.5 ppm	111-66-0	-	-	100	45

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
-	-	-	-	-	-	-

SARA 313 : This product contains toxic chemicals subject to the reporting requirements of SARA Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Product name	CAS number	%
Diphenyl amine	122-39-3	0.00935

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : None of the components are listed.
New York : None of the components are listed.
New Jersey : The following components are listed: Distillates (petroleum), hydrotreated heavyparaffinic, alkyl esters/copolymers
Pennsylvania : The following components are listed: Distillates (petroleum), hydrotreated heavyparaffinic, alkyl esters/copolymers
California Prop. 65:

⚠ WARNING: This product can expose you to chemicals including ethyl acrylate (< 4 ppm) which is known to the State of California to cause cancer.

Ingredient Name	Cancer	Reproductive	No Significant Risk Level	Maximum acceptable dosage level
1,4 Dioxane	Yes	No	Yes	6.4 µg/day (ingestion) 13 µg/day (inhalation)
Ethyl acrylate	Yes	No	No	N.A.
Propylene oxide	Yes	No	No	N.A.
Ethylene oxide	Yes	No	Yes	2 µg/day

Section 16. Other information

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and chemical properties -



HMIS Health hazards 0 Flammability 1 Physical hazards 0

Personal Protection B

Issue date 06/17/2020
Revision date 03/01/2023
Revision note Supersedes 06/17/2020
Not applicable

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



OUR ENERGY COMES THROUGH®

A BRAND OF **CHS**