



# TOTAL PROTECTION PLAN™ (“TPP”) WARRANTY PROGRAM

## NEW EQUIPMENT WARRANTY APPLICATION

### Applicant Information

APPLICANT'S NAME — LAST NAME FIRST										PHONE			
RURAL ROUTE OR STREET ADDRESS													
CITY					STATE		ZIP		E-MAIL ADDRESS				
MODEL NAME OR NUMBER				UNIT SERIAL NUMBER						DATE PURCHASED			
										MO DAY YR			
FUEL TYPE		MAKE				HOURS							

### Agricultural Equipment

#### Type of unit to be covered

- ☐ BALE WAGON ☐ HAY CRUISER ☐ SWATHER ☐ CROP CRUISER ☐ COTTON PICKER/STRIPPER ☐ WINDROWER ☐ STATIONARY EQUIPMENT
- ☐ 25+ HP TRACTOR ☐ TELEHANDLER ☐ COMBINE ☐ HARVESTER ☐ SPRAYER ☐ MOWER CONDITIONER

#### Components to be covered – Check one option in each applicable section.

##### DIESEL ENGINE:

- ☐ 10 years/10,000 hours Maxtron® DEO or Maxtron® Enviro-EDGE®  
☐ 9 years/9,000 hours\* Superlube TMS® or Superlube 518®

##### DIESEL INJECTION PUMP/INJECTORS:

- ☐ 9 years/9,000 hours\* Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5® pump with 5 years/5,000 hours injector coverage (available through authorized Ruby Fieldmaster® Distributors only)

##### TRANSMISSION/HYDRAULIC/FINAL DRIVE (25+ HP tractors and telehandlers only):

- ☐ 10 years/10,000 hours Maxtron® THF+  
☐ 9 years/9,000 hours\* Qwiklift® HTB®, BioMax™ THF or Power Transmission Fluid

##### HYDROSTATS (25+ tractors and telehandlers only):

- ☐ 10 years/10,000 hours Maxtron® THF+

##### DIFFERENTIAL/HUBS (25+ HP tractors and telehandlers only):

- ☐ 6 years/6,000 hours Maxtron® THF+, Qwiklift® HTB®, Maxtron® GL or MP Gear Lube

##### Stationary Agricultural Equipment

- ☐ DIESEL ENGINE: 4 years/8,000 hours Maxtron® DEO, Maxtron® Enviro-EDGE®, Superlube TMS® or Superlube 518®

- ☐ DIESEL INJECTION PUMP/INJECTORS: 4 years/8,000 hours Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5® with 4 years/4,000 hours injector coverage (available through authorized Ruby Fieldmaster® Distributors only)

- ☐ NATURAL GAS/LP ENGINE: 3 years/7,000 hours Irriflex® or NGE0 2,000/3,000

\* If you sign up to use both Ruby Fieldmaster® premium diesel AND covered diesel engine and/or trans/hyd/final drive fluids, the warranty term will be extended to 10 years/10,000 hours.

### Forestry Equipment

#### Type of unit to be covered

- ☐ FORWARDER ☐ SLASHER ☐ CHIPPER ☐ DELIMBER ☐ COLLECTOR ☐ CHOPPER ☐ OTHER MOBILE FORESTRY EQUIPMENT

#### Component to be covered

- ☐ DIESEL ENGINE: 4 years/6,000 hours Maxtron® DEO or Maxtron® Enviro-EDGE® and Cenex® branded transmission/ hydraulic fluid (such as Maxtron® THF+, Qwiklift® HTB®, Indol Hydraulic Fluid or Hydrostatic Fluid)

#### ☐ This Warranty is Being Transferred

CURRENT TPP WARRANTY #	CURRENT WARRANTY HOLDER NAME

### IMPORTANT: APPLICANT MUST SIGN AGREEMENT OF RESPONSIBILITY

AUTHORIZED DISTRIBUTOR ACCOUNT NO.	AUTHORIZED DISTRIBUTOR NAME		PLEASE MAIL THIS APPLICATION TO: Cenex Total Protection Plan Program 400 1st Avenue North Suite 700 Minneapolis, MN 55401 Phone: 1-866-863-0827
	CITY		
(LAST SIX DIGITS ONLY)	STATE ZIP		
CENEX® PETROLEUM REPRESENTATIVE — LAST NAME FIRST			
PHONE		E-MAIL ADDRESS	
CUSTOMER NEW TO CENEX OIL		TOTAL OIL GALLONS USED ANNUALLY	
YES <input type="checkbox"/> NO <input type="checkbox"/>		Under 250g 250-499g 500-999g 1000g or over	
OIL CONTAINER SIZE PURCHASED		CENEX AS A PERCENT OF OIL PURCHASED	
<input type="checkbox"/> Small Packages <input type="checkbox"/> 30 or 55 gal drums <input type="checkbox"/> Totes or Bulk		0-24% 25-49% 50-74% 75-100%	
PRIMARY BUSINESS		CUSTOMER NEW TO CENEX PREMIUM DIESEL FUEL	
WHEAT CORN SOY-BEANS MILO LIVE-STOCK OTHER		YES <input type="checkbox"/> NO <input type="checkbox"/>	
		OTHER UNITS ON TPP WARRANTY	
		YES <input type="checkbox"/> NO <input type="checkbox"/>	
		AGE OF APPLICANT	
		18-30 31-45 46-60 61+	

# CENEX TOTAL PROTECTION PLAN WARRANTY

## NEW EQUIPMENT — AGREEMENT OF RESPONSIBILITY

The Energy Division of CHS offers a Cenex Total Protection Plan™ Warranty Program (the "TPP Warranty" or "Warranty") for eligible operators of eligible new equipment ("Agricultural Equipment", "Stationary Agricultural Equipment" and Forestry Equipment as further described below). Eligible operators shall include individuals and entities that either own and operate, or lease and operate, such eligible new equipment (in either case referred to hereinafter as an "Operator").

### APPLICATION

An Operator of eligible new Agricultural Equipment, Stationary Agricultural Equipment or Forestry Equipment that desires to obtain the TPP Warranty on a Component(s) of said equipment, must submit the following to a CHS authorized distributor from which Operator purchases the applicable lubricants and fuel products described below as "Covered Fluids":

- (1) A New Equipment Warranty Application and Agreement of Responsibility (the "Application and Agreement") not later than:
  - For **Agricultural Equipment**, the earlier of (a) 6 months following the date of acquisition of such new equipment, or (b) 400 hours after placing such new equipment in service.
  - For **Stationary Agricultural Equipment**, the earlier of (a) 60 days following the date of acquisition of such new Stationary Agricultural Equipment, or (b) 750 hours after placing such new Stationary Agricultural Equipment in service
  - For **Forestry Equipment**, the earlier of (a) 6 months following the date of acquisition of such new equipment, or (b) 400 hours after placing such new equipment in service; and
- (2) A check or money order in the amount of \$299 payable to CHS.

CHS RESERVES THE RIGHT, IN ITS SOLE DISCRETION, TO APPROVE OR DISAPPROVE ANY APPLICATION AND AGREEMENT SUBMITTED FOR APPROVAL. CHS will send the Operator a letter acknowledging receipt of application materials. If approved, then CHS will send throughout the warranty term other relevant communication as well as periodic valuable coupons for Covered Fluids and sample analysis kits.

### APPROVAL PROCESS

Upon its receipt of an Operator's submitted Application and Agreement, CHS will review the Application and Agreement. If CHS approves the Application and Agreement, CHS will return to the Operator written notice of CHS' approval (the "Approval"). If CHS does not approve the Application and Agreement, Operator will receive written notice and a return of the \$299 application fee.

### WARRANTY

Upon approval in writing of such Application and Agreement by CHS (as shown by return of the Approval to the Operator), CHS warrants to the Operator, for the term set forth in the "Warranty Term" column of the tables below (the "Warranty Term"), that the lubricant(s) and fuel product(s) set forth in the "Covered Fluid" column of the tables below (each a "Covered Fluid", collectively, the "Covered Fluids") are fit for the purpose for which they are ordinarily intended when used in the components set forth in the "Component" column of the tables below (each a "Component", collectively, the "Components") of new Agricultural Equipment, new Stationary Agricultural Equipment and new Forestry Equipment subject to all of the requirements and limitations contained herein. The Warranty Term shall begin on the date of acquisition of the eligible new Agricultural Equipment, Stationary Agricultural Equipment or Forestry Equipment and extend for the number of years so indicated or until the equipment has been in service for the number of hours so indicated, whichever occurs first.

### AGRICULTURAL EQUIPMENT: TRACTORS (25+ HORSEPOWER) AND TELEHANDLERS

Component	Covered Fluid	Warranty Term
Diesel Engine	Maxtron® DEO or Maxtron® Enviro-EDGE®	10 yrs/10,000 hrs
	Superlube TMS® or Superlube 518®	9 yrs/9,000 hrs
Diesel Injection Pump*	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	9 yrs/9,000 hrs
Diesel Injectors*	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	5 yrs/5,000 hrs
Trans/Hyd/Final Drive	Maxtron® THF+ Qwiklift® HTB®, BioMax™ THF or Power Transmission Fluid	10 yrs/10,000 hrs 9 yrs/9,000 hrs
Hydrostats	Maxtron® THF+	10 yrs/10,000 hrs
Differential/ Hubs	Maxtron® THF+, Qwiklift® HTB®, Maxtron® GL or MP Gear Lube	6 yrs/6,000 hrs

\*Cenex Total Protection Plan™ Warranty for these Components is available only through authorized Ruby Fieldmaster® Distributors.

### AGRICULTURAL EQUIPMENT OTHER THAN TRACTORS AND TELEHANDLERS: COMBINES, HARVESTERS, SPRAYERS, MOWER CONDITIONERS, BALE WAGONS, HAY CRUISERS, SWATHES, CROP CRUISERS, COTTON PICKERS/STRIPPERS AND WINDROWERS

Component	Covered Fluid	Warranty Term
Diesel Engine	Maxtron® DEO or Maxtron® Enviro-EDGE®	10 yrs/10,000 hrs
	Superlube TMS® or Superlube 518®	9 yrs/9,000 hrs
Diesel Injection Pump*	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	9 yrs/9,000 hrs
Diesel Injectors*	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	5 yrs/5,000 hrs

\*Cenex Total Protection Plan™ Warranty for these Components is available only through authorized Ruby Fieldmaster® Distributors.

**Note:** The term of the Cenex Total Protection Plan Warranty for all Components of the above Agricultural Equipment (except Differential/Hubs and Diesel Injectors) will be extended to 10 years/10,000 hours if Operator uses exclusively both a lubricant product listed in the Covered Fluid column above and Ruby Fieldmaster® Premium Ag Diesel Fuel in such Agricultural Equipment.

### STATIONARY AGRICULTURAL EQUIPMENT

Component	Covered Fluid	Warranty Term
Diesel Engine	Maxtron® DEO, Maxtron® Enviro-EDGE®, Superlube TMS® or Superlube 518®	4 yrs/8,000 hrs
Diesel Injection Pump*	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	4 yrs/8,000 hrs
Diesel Injectors*	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	4 yrs/4,000 hrs
Natural Gas/LP Engine	Irriflex® or NGE0	3 yrs/7,000 hrs

\*Cenex Total Protection Plan™ Warranty for these Components is available only through authorized Ruby Fieldmaster® Distributors.

**Note:** Operator must exclusively use both a lubricant product listed in the Covered Fluid column above and Ruby Fieldmaster® Premium Ag Diesel Fuel to be eligible for the TPP Warranty on Stationary Agricultural Equipment.

### FORESTRY EQUIPMENT: FORWARDERS, SLASHERS, CHIPPERS, DELIMBERS, COLLECTORS AND CHOPPERS

Component	Covered Fluid	Warranty Term
Diesel Engine	Maxtron® DEO or Maxtron® Enviro-EDGE® and Cenex® branded transmission/hydraulic fluid (such as Maxtron® THF+, Qwiklift® HTB®, Indol Hydraulic Fluid or Hydrostatic Fluid)	4 years/6,000 hours

**Note:** Operator must exclusively use both a Cenex branded lubricant product and a Cenex branded transmission/hydraulic fluid listed in the Covered Fluid column to be eligible for the TPP Warranty on Forestry Equipment

### PARTS THAT ARE COVERED BY THIS WARRANTY

**DIESEL ENGINE:** Rocker arm shaft, cylinder liner, valve lifter, push rods, pistons, rings, wrist pins, connecting rod & crankshaft, camshaft & bearings, and timing gear.

**DIESEL INJECTION PUMP:** Metering valve, transfer pump, pressure regulator, distributor rotor, hydraulic head, delivery valve, cam ring, plungers, bearing and driveshaft.

**TRANSMISSION, HYDRAULIC, FINAL DRIVE, DIFFERENTIAL/HUBS (Agricultural Equipment: 25+ HP Tractors and telehandlers only):** Gears, shafts, bearings, wet clutches, oil-immersed wet brake and clutch facing, hydraulic pumps and valves.

**HYDROSTAT** (Agricultural Equipment: 25+ HP Tractors and Telehandlers only): Mechanical parts.

### PARTS NOT COVERED BY THIS WARRANTY

**DIESEL ENGINE:** Cylinder head assembly, valves/valve guides, oil pump and oil cooler, engine block, oil seals, oil filters, turbocharger, non-lubricated parts.

**DIESEL INJECTION SYSTEM:** Fuel lines, filters.

**TRANSMISSION, HYDRAULIC, FINAL DRIVE, DIFFERENTIAL/HUBS, HYDROSTAT (Agricultural Equipment: 25+ HP Tractors and telehandlers only):** Auxiliary equipment.

### OBLIGATIONS OF OPERATOR

**1. Proper Fuel, Lubricants and Filters:** Operator agrees to use the proper products approved by CHS, including Covered Fluids, filters and additives, exclusively in the Component covered by the Warranty. Operator agrees to contact the authorized dealer from which Operator purchases the applicable Covered Fluid or CHS for assistance and/or confirmation of product selection. Operator agrees to retain all receipts from purchases of Covered Fluids, filters and additives. Biodiesel conforming to the ASTM D 6751 provisional specification, may be used up to 5% in Ruby Fieldmaster® Premium Diesel. Use of any products not approved by CHS, other than factory fill, will void the Warranty, provided however, that Operator may lower the pour point of Ruby Fieldmaster® Premium Ag Diesel Fuel by adding No. 1 diesel fuel or kerosene. More than 50% dilution of Ruby Fieldmaster® Premium Ag Diesel Fuel with No. 1 diesel fuel or kerosene requires the addition of an approved additive at the recommended treat rate. Any and all diesel fuel storage tanks used to store Ruby Fieldmaster® Premium Ag Diesel Fuel must be equipped with a fuel filter approved by CHS.

### 2. Fluid Samples:

- For engines covered by the Warranty, Operator agrees to submit engine lubricant sample at the time of each original equipment manufacturer-recommended lubricant change, at the time of making a claim under the Warranty and at any time requested by CHS.
- For transmission/hydraulic/final drive and hydrostat Warranty coverage (25+ Horsepower Tractors and telehandlers only), Operator agrees to submit lubricant samples every 300 hours of service, but in any event, at least one time per year beginning on the first anniversary of the acquisition date of the equipment, at the time of making a claim under the Warranty and at any time requested by CHS. If the transmission and hydraulic are separate systems, then separate samples are needed.
- For differential/hubs Warranty coverage (25+ Horsepower Tractors and telehandlers only), Operator agrees to submit lubricant samples from each differential/hub (commonly four per tractor) one time per year beginning on the first anniversary of the acquisition date of the equipment, at the time of making a claim under the Warranty and at any time requested by CHS.
- For diesel injection pump/diesel injectors Warranty coverage, Operator agrees to submit fuel samples at the time of making a claim under the Warranty and at any time requested by CHS.
- Fluid sample kits are available for purchase from authorized dealers which sell Covered Fluids.

**3. Maintenance:** Operator agrees to have Components covered by the Warranty maintained in accordance with the original equipment manufacturer's recommendations and/or recommendations made in writing by CHS. Operator agrees to retain all receipts for maintenance.

**4. Corrective Action:** Operator agrees to take reasonable corrective action when requested by CHS. If corrective action involves more than minor repair or maintenance, Operator should contact the authorized dealer from which Operator purchases the applicable Covered Fluid. Operator agrees to retain all receipts for corrective action.

### CLAIM PROCESS

In the event of failure, or signs of failure, of a Component covered by the Warranty, Operator agrees to notify the authorized distributor from which Operator purchases the applicable Covered Fluid immediately. A sample of the Covered Fluid must be sent to CHS. In no event shall such notification be made to the authorized distributor later than one (1) month following expiration of the Warranty Term. The authorized distributor shall notify CHS which must give Operator authorization prior to repair or replacement of the internal part or parts set forth above of such Component. Such repair will be at CHS' expense. If, in the exclusive judgment of CHS, the internal part or parts of such Component are unable to be repaired, such internal part or parts will be replaced at CHS' expense. All Warranty service must be performed at service centers approved by CHS. Any parts replaced must be retained by the service center for 90 days and must be made available to CHS upon request. After service has been completed, Operator must submit the invoice to CHS for payment. In the event Operator has any internal part or parts repaired or replaced without prior authorization by CHS, CHS reserves the right not to pay for such repair or replacement.

**Operator hereby assigns to CHS the right to make a claim for breach of the equipment manufacturer's warranty, if applicable.**

### LIMITATIONS

CHS does not warrant (a) any product which is not a Covered Fluid, (b) failure of Component caused by or resulting from, directly or indirectly, use or storage of products other than products approved by CHS, including Covered Fluids, filters and additives, in Component or in fuel storage tank, (c) failure of Component caused by or resulting from, directly or indirectly, failure to use the Covered Fluid and/or equipment in a suitable environment, (d) failure of Component caused by or resulting from, directly or indirectly, lack of recommended maintenance of the Component or failure to take recommended corrective action or indirectly, use of the equipment for a purpose other than that for which it was designed, (f ) failure of Component caused by or resulting from, directly or indirectly, disasters such as fire, flood, wind and lightning, (g) failure of Component caused by or resulting from, directly or indirectly, unauthorized or improper modification or repair of the Covered Fluid and/or Component, (h) failure of Component caused by or resulting from, directly or indirectly, presence of foreign material in Component, (i) failure of Component caused by or resulting from, directly or indirectly, any other abuse or misuse, or (j) nonagricultural use with respect to agricultural equipment. **The Warranty does not cover equipment or tractors with less than 25 horsepower engines.**

### DISCLAIMER OF WARRANTY

THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

### LIMITATION OF REMEDIES

As to remedies available to Operator for any and all losses or damages, including losses or damages arising from a claim of breach of warranty, breach of contract, negligence or strict liability, Operator's exclusive remedy shall be limited to the replacement value of the failed internal part or parts of the Component covered by this Warranty. UNDER NO CIRCUMSTANCES SHALL CHS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES BASED UPON ANY LEGAL THEORY, INCLUDING BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE OF EQUIPMENT, COST OF ANY SUBSTITUTE EQUIPMENT, DOWNTIME, COST OF HAULING AND COST OF LODGING.

### ENTIRE AGREEMENT, NO OTHER WARRANTIES

Unless modified in a writing signed by both parties, the Warranty, together with the Application and Agreement and the Approval, is understood to be the complete and exclusive agreement between the parties, superseding all prior agreements, oral or written, and all other communications between CHS and Operator, relating to the subject matter of the Warranty. No employee of CHS or any other party is authorized to make any warranties in addition to that made herein.

### TRANSFER OF WARRANTY

The Warranty on Agricultural Equipment or Forestry Equipment may be transferred by Operator during the Warranty Term to a subsequent party who meets the requirements of an Operator (a "Transferee") for the remainder of the Warranty Term so long as Operator has complied with its obligations under the Application and Agreement and there is at least 6 months left in the Warranty Term. A Transferee of eligible Agricultural Equipment or Forestry Equipment that desires to obtain a transfer of the TPP Warranty on a Component(s) of such Agricultural Equipment or Forestry Equipment must submit a Warranty Transfer Request and Agreement of Responsibility (the "Transfer and Agreement") to a dealer authorized by CHS from which Transferee purchases the applicable Covered Fluids within thirty (30) days of Transferee's acquisition of equipment already covered by the TPP Warranty. Upon its receipt of a Transferee's submitted Transfer and Agreement, CHS will review the Transfer and Agreement. If CHS approves, CHS will return to the Transferee written notice of approval (the "Transfer Approval"). Upon approval in writing of such Transfer and Agreement by CHS (as shown by return of the Transfer Approval to Transferee), the Transferee becomes an Operator for purposes of the remaining term of this Warranty. **The Warranty on Stationary Agricultural Equipment is not transferable.**

Operator hereby acknowledges that it has read and understands the terms of the Cenex Total Protection Plan New Equipment Warranty and this Application and Agreement. Operator hereby certifies that the date of manufacture and hours of service of the equipment set forth on the Application are correct. Operator hereby agrees to adhere to the terms of this Application and Agreement and understands that failure to do so will invalidate the Warranty.

Operator

Date

# CENEX TOTAL PROTECTION PLAN NEW EQUIPMENT WARRANTY

## Summary of Sign Up, Coverage, and Obligations; Application and Agreement

### COVERAGE OF UP TO 72 MONTHS LONGER THAN MOST MANUFACTURER'S ORIGINAL EQUIPMENT WARRANTIES!

The best warranty program of its kind in agriculture and forestry, the Cenex Total Protection Plan™ Warranty covers specified components and injection system parts of new agricultural and forestry equipment for up to 10 years or 10,000 hours.

Engine, transmission and injection pump coverage can be expanded from 9 years/9,000 hours to 10 years/10,000 hours when approved Cenex® lubricants and Ruby Fieldmaster® Premium Diesel are used exclusively together. Plus, get 10 years/10,000 hours of coverage when you use Maxtron® lubricants.

### SIGN UP AND APPROVAL PROCESS:

**Equipment eligible** for the new equipment Cenex Total Protection Plan™ Warranty includes:

- Agricultural equipment: Equipment acquired less than six months prior to the date of Warranty application and having fewer than 400 hours of operation prior to the Warranty application date.
- Stationary agricultural equipment: Equipment acquired less than 60 days prior to the date of Warranty application and having fewer than 750 hours of operation prior to the Warranty application date.
- Forestry equipment: Equipment acquired less than six months prior to the date of Warranty application and having fewer than 400 hours of operation prior to the Warranty application date.

**To sign up** for the Warranty, you should work with your local distributor to submit the following to CHS:

- A completed and signed New Equipment TPP Warranty Application and Agreement of Responsibility (the "Application and Agreement") at the back of this document.
- Check or money order to CHS covering \$299 enrollment fee (Note: If application is denied for any reason, the fee will be refunded.)

**CHS will review your Application and Agreement** and reserves the right, in its sole discretion, to approve or disapprove any Application and Agreement. CHS will notify you if the Application and Agreement is approved by sending you an approval letter detailing your coverage, along with four \$50 Cenex rebate coupons for use on qualifying Cenex products and LubeScan® kits to be redeemed at an authorized distributor. A New Equipment Warranty Number will be assigned for use in identifying fluid samples.

### WARRANTY COVERAGE:

AGRICULTURAL EQUIPMENT: TRACTORS  
(25+ HORSEPOWER) AND TELEHANDLERS

Component	Covered Fluid	Warranty Term
Diesel Engine	Maxtron® DEO or Maxtron® Enviro-EDGE® Superlube TMS® or Superlube 518®	10 yrs/10,000 hrs. 9 yrs/9,000 hrs. <sup>2</sup>
Diesel Injection Pump <sup>1</sup>	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	9 yrs/9,000 hrs. <sup>2</sup>
Diesel Injectors <sup>1</sup>	Ruby Fieldmaster®, Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	5 yrs/5,000 hrs.
Trans/Hyd/ Final Drive	Maxtron® THF+ Qwiklift® HTB®, BioMax™ THF or Power Trans Fluid	10 yrs/10,000 hrs. 9 yrs/9,000 hrs. <sup>2</sup>
Hydrostats	Maxtron® THF+	10 yrs/ 10,000 hrs.
Differential/Hubs	Maxtron® THF+, Qwiklift® HTB®, Maxtron® GL or MP Gear Lube	6 yrs/ 6,000 hrs.

AGRICULTURAL EQUIPMENT OTHER THAN TRACTORS AND TELEHANDLERS: COMBINES, HARVESTERS, SPRAYERS, MOWER CONDITIONERS, BALE WAGONS, HAY CRUISERS, SWATHERS, CROP CRUISERS, COTTON PICKERS/STRIPPERS AND WINDROWERS

Component	Covered Fluid	Warranty Term
Diesel Engine	Maxtron® DEO or Maxtron® Enviro-EDGE® Superlube TMS® or Superlube 518®	10 yrs/10,000 hrs 9 yrs/9,000 hrs. <sup>2</sup>
Diesel Injection Pump <sup>1</sup>	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	9 yrs/9,000 hrs. <sup>2</sup>
Diesel Injectors <sup>1</sup>	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	5 yrs/5,000 hrs.

### STATIONARY AGRICULTURAL EQUIPMENT<sup>3</sup>

Component	Covered Fluid	Warranty Term
Diesel Engine	Maxtron® DEO, Maxtron® Enviro-EDGE®, Superlube TMS® or Superlube 518®	4 yrs/8,000 hrs.
Diesel Injection Pump <sup>1</sup>	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	4 yrs/8,000 hrs.
Diesel Injectors <sup>1</sup>	Ruby Fieldmaster® and Ruby Fieldmaster B2® or Ruby Fieldmaster B5®	4 yrs/4,000 hrs.
Natural Gas/LP Engine	Irriflex® or NGE0	3 yrs/7,000 hrs.

FORESTRY EQUIPMENT<sup>4</sup>: FORWARDERS, SLASHERS, CHIPPERS, DELIMBERS, COLLECTORS AND CHOPPERS

Component	Covered Fluid	Warranty Term
Diesel Engine	Maxtron® DEO or Maxtron® Enviro-EDGE® and Cenex® branded transmission/hydraulic fluid (such as Maxtron® THF+, Qwiklift® HTB®, Indol Hydraulic Fluid or Hydrostatic Fluid)	4 yrs/6,000 hrs.

<sup>1</sup>Cenex Total Protection Plan™ Warranty for these components is available only through authorized Ruby Fieldmaster® Distributors.

<sup>2</sup>If exclusively use both Ruby Fieldmaster® diesel fuel and covered lubricants fluids, the Warranty Term will be extended to 10 years/10,000 hours.

<sup>3</sup>Must exclusively use both Ruby Fieldmaster® premium diesel fuel and covered lubricant fluids to be eligible. Warranty is not transferable.

<sup>4</sup>Operator must exclusively use both a Cenex branded lubricant product and a Cenex branded transmission/hydraulic fluid listed in the Covered Fluid column to be eligible for the TPP Warranty on Forestry Equipment.

### Parts Covered by Warranty

**DIESEL ENGINE:** Rocker arm shaft, cylinder liner, valve lifter, push rods, pistons, rings, wrist pins, connecting rod & crankshaft, camshaft & bearings, and timing gear.

**DIESEL INJECTION PUMP:** Metering valve, transfer pump, pressure regulator, distributor rotor, hydraulic head, delivery valve, cam ring, plungers, bearing, and driveshaft.

**DIESEL INJECTOR:** Mechanical parts.

**TRANSMISSION, HYDRAULIC, FINAL DRIVE,**

**DIFFERENTIAL/HUBS (Agricultural Equipment: 25+ HP Tractors and Telehandlers only):** Gears, shafts, bearings, wet clutches, oil-immersed wet brake and clutch facing, hydraulic pumps, and valves.

**HYDROSTAT (Agricultural Equipment: 25+ HP Tractors and Telehandlers only):** Mechanical parts.

### Parts Not Covered by Warranty

**DIESEL ENGINE:** Cylinder head assembly, valves/valve guides, oil pump and oil cooler, engine block, oil seals, oil filters, turbocharger, non-lubricated parts.

**DIESEL INJECTION SYSTEM:** Fuel lines, filters.

**TRANSMISSION, HYDRAULIC, FINAL DRIVE, DIFFERENTIAL/HUBS, HYDROSTAT (Agricultural Equipment: 25+ HP Tractors and Telehandlers only):** Auxiliary equipment.

# CENEX TOTAL PROTECTION PLAN NEW EQUIPMENT WARRANTY

## Summary of Sign Up, Coverage, and Obligations; Application and Agreement

### ADDITIONAL VALUE:

CHS will provide maintenance reminders to help keep your equipment in top condition and send periodic money saving coupons for Cenex products.

### OPERATOR OBLIGATION:

- 1. Proper Fuel, Lubricants, and Filters:** Use the proper products approved by CHS, including covered fluids, filters and additives exclusively in the components covered by the Warranty. Contact the distributor from which you purchase the applicable covered fluid or CHS for assistance and/or confirmation of product selection. Retain all receipts from purchases of covered fluids, filters and additives. *Biodiesel, conforming to the ASTM D 6751 provisional specification may be used up to 5% blend in Ruby Fieldmaster® Premium Diesel.* Using any products not approved by CHS, other than factory fill, will void the Warranty, with the exception of lowering the pour point of Ruby Fieldmaster®, Ruby Fieldmaster B2®, and Ruby Fieldmaster B5® by adding No. 1 diesel fuel or kerosene—more than 50% dilution requires the addition of an approved additive at the recommended treat rate. Any and all Ruby Fieldmaster® diesel fuel storage tanks must be equipped with a fuel filter approved by CHS.
- 2. Fluid Samples:**
  - For engines covered by the Warranty, submit engine lubricant samples at the time of each original equipment manufacturer recommended lubricant change; at the time of making a claim under the Warranty; and at any time when requested by CHS.
  - For transmission/ hydraulic/final drive and hydrostat Warranty coverage; submit lubricant samples every 300 hours of service, or at a minimum annually; at the time of making a claim under the Warranty; and at any time when requested by CHS.
  - For differential/hubs Warranty coverage, submit lubricant samples annually; at the time of making a claim under the Warranty; and at any time when requested by CHS.
  - For diesel injection pump/diesel injectors Warranty coverage, submit fuel samples at the time of making a claim under the Warranty and at any time when requested by CHS.
  - LubeScan® kits for fluid sampling are available for purchase from your Cenex distributor.
- 3. Maintenance:** Maintain components covered under the Warranty in accordance with the original equipment manufacturer's recommendations and/or recommendations made in writing by CHS. Retain all receipts for maintenance.
- 4. Corrective Action:** Take reasonable corrective action when requested by CHS. If corrective action involves more than minor repair or maintenance, contact your Cenex distributor. Retain all receipts for corrective action.

### TRANSFERRING COVERAGE:

Except for Stationary Agricultural Equipment, existing coverage can be transferred to a new owner provided that all prior Operator responsibilities have been fulfilled and there is at least 6 months left in the Warranty term. Transfer request must be made within 30 days of acquisition of the transferred equipment. Coverage is limited to the original Warranty term.

1. Contact your authorized distributor to receive a Warranty Transfer Request and Agreement of Responsibility (the "Transfer and Agreement") for completion.
2. Complete and sign the Transfer and Agreement and return it to your authorized distributor for processing. Distributor will forward to CHS.
3. CHS will review your Transfer and Agreement and notify you if it is approved by sending you an approval letter detailing your current coverage (your distributor will receive a copy).

### CLAIM PROCESS:

1. If a covered part shows signs of failure, notify your distributor immediately. A sample of the relevant Cenex lubricant and/or fuel must be sent to CHS for evaluation.
2. CHS must approve the service center and give authorization prior to repair or replacement of the internal part(s). CHS will exclusively determine if the part(s) are repairable or need to be replaced.
3. **The repair will be at CHS' expense, including installation and labor.** After the service has been completed, submit the invoice to CHS for payment.

CHS requires no operator burden of proof and no deductible. CHS pays the full amount and if applicable, will do the legwork to pursue any claim for breach of the equipment manufacturer's warranty.

### LIMITATIONS:

The Cenex Total Protection Plan™ New Equipment Warranty coverage is limited to the items as specified. The Cenex Total Protection Plan™ Warranty does not cover damage resulting from:

- Lack of recommended maintenance
- Misuse or use of equipment for a purpose other than that for which it was designed
- Unauthorized or improper modifications to covered equipment
- Accidents or damage caused by disasters such as fire, flood, wind or lightning
- The presence of foreign material in component.
- Use of non-CHS-approved products
- Improper use/storage of products
- Nonagricultural use
- Any other abuse or misuse

The Cenex Total Protection Plan™ New Equipment Warranty does not cover extra expenses, such as:

- Lost profits
- Loss of use
- Rentals
- Downtime
- Hauling/Transportation
- Lodging

**Please Note: This summary is intended only to describe the Warranty in general terms and is not a complete description of the terms and conditions of the Warranty. See the following Application and Agreement for the complete terms, conditions and limitations of the Warranty. In the event of any conflict between: (1) this summary and (2) the Application and Agreement, the Application and Agreement shall govern and control.**